

# Spray Trees & Evergreens


# Campbell's

CULTIVATING IDEAS

2342 South 40th Street  
(402) 483-7891

5625 Pine Lake Road  
(402) 423-1133

[www.campbellsnursery.com](http://www.campbellsnursery.com)



---

**APPLE SCAB** This disease is commonly confused with cedar apple rust. Apple scab usually occurs in mid-April as blotches on the leaves with “smoke ring” effect, and continues through mid-June. However, a period of wet weather in July can cause reoccurrence of the disease. A fungicide such as Captan or Ferbam should be applied at 10 day intervals as soon as the buds start showing color.

**CEDAR APPLE RUST** Occurs in mid-April and continues through mid-June. This disease usually will decline after this time and will not re-occur with the onset of wet weather after June. Mancozeb is the best fungicide to use for Cedar Apple Rust with Ferbam as a second choice.

**NEEDLE CAST OF PINES** Through extensive research done by the University of Nebraska, it has been determined that this disease can be controlled if the pines are sprayed approximately May 20th with a second spraying one month later, by June 20th, using Bordeaux or Liquid Copper as the fungicide.

**TIP BLIGHT (PINE) AUSTRIAN, PONDEROSA, AND MUGHO** With Tip Blight, the new growth becomes stunted, gradually turns brown and dies. As the disease continues, it progressively kills the needles further back on the branch. The lower branches are usually first to show browning. Control with Liquid Copper or Bordeaux mix in mid-April and again in early to mid-May. Control measures, in the past few years, have been made with dubious results.

**ANTHRACNOSE OF SYCAMORE** This disease has to be treated in the green bud stage, and the second application should be applied when the leaves unfurl. Bordeaux or Liquid Copper are best.